



PARKING LOTS



UNCOMPACTED SUBGRADE, ADDITIONAL HIGH POROSITY STORAGE BASIN, CU STRUCTURAL SOIL OR UNDERGROUND STORM WATER STORAGE



BINDER PROPERTIES:
THE BINDER SHALL BE A UNIQUE TWO COMPONENT ELASTOMERIC BINDING MATERIAL MANUFACTURED SPECIFICALLY FOR USE IN THE FILTERPAVE POROUS PAVEMENT SYSTEM. ONLY BINDER PURCHASED THROUGH FILTERPAVE PRODUCTS LLC OR AN AUTHORIZED AGENT IS ACCEPTABLE.

GLASS AND STONE PROPERTIES:
THE GLASS AND STONE SHALL BE PROCESSED USING FILTERPAVE PRODUCTS LLC PATENTED PROCEDURE FOR USE IN THE FILTERPAVE POROUS PAVEMENT SYSTEM. ONLY GLASS AND STONE PURCHASED THROUGH FILTERPAVE PRODUCTS LLC OR AN AUTHORIZED AGENT IS ACCEPTABLE. REFER TO FILTERPAVE PRODUCT SPECIFICATION GUIDE

NOTES:
1) BASE DEPTHS SHOWN ARE MINIMUMS FOR STRUCTURAL STRENGTH. POOR SUBGRADE PERMEABILITY AND/OR AREAS WITH HIGHER THAN AVERAGE RAINFALLS MAY REQUIRE MORE BASE AS A STORAGE RESERVOIR.

2) SUBGRADE TO BE EVALUATED FOR CBR VALUE AND PERMEABILITY IN ALL CASES.

*TOPCOAT GLASS SERIES REQUIRED, OPTIONAL FOR STONE SERIES

FOR MORE INFORMATION GO TO WWW.FILTERPAVE.COM



STANDARD DETAIL DRAWINGS
PARKING LOTS.

REVISION	DATE
	2-3-14
	2-5-14
	3-21-14
	2-24-16
	7-06-16
	6-21-17